



Tiles That Fit Every Space.

A wide range of decorations enriches and enhances Endless's marble effect floor and wall tiles. Refined geometric decorations and precious mosaics add value to every application for floors and walls, creating a contrast that brings out the beauty of the material and adds a unique dynamism to the space.



Eternal charm, limitless grace.
Unveil your timeless allure today.

Endless Beauty

SURFACE EXPLOIT ALL ARCHITECTURAL AND CREATIVE POTENTIAL.

The Endless collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.



**GLOSSY
SLIFACE**
with Endless Beauty



Application Introduction

Shades of neutral tones and refined surfaces of timeless simplicity. The perfect synthesis of design, versatility and leading-edge technology, to meet all needs: indoors and outdoors, in residential projects and in the most widely varying commercial and public locations.



High resistance
to ultraviolet
light




Scratch-
resistant



Colour
stability



Wear-
resistant



Dimensional
stability



Ice and thaw
resistance



Stain-
resistant



Maximum
fire and heat
resistance



Click on the slabs below
to view their separators.




ABIS NATURAL



ALBANIA EARTH



ALBERTO NATURAL




ALITAR GREY



ATRIO GREY



BELTON WHITE



CARNICA BEIGE



EPITOMA BROWN



EPOLIC BIANCO



FLURRY TAN



FRAG GRAY



GEO NATURAL



INDIZO GREY



ITAS GREY




JOLTA BROWN



LIALA EARTH



MACEAL WHITE



MANZI EARTH



MARMI IVORY



MARTA NATURAL

PRODUCT INDEX



MASTO GREY



MEDONA GREY




OBLA IVORY



RISIN BIANCO



SCALEN BEIGE



SELBI SILVER



SHINE GRIS



STANZA CHESTNUT



STELLAR GREY



CHOCO



NATURAL



SILVER



ABIS NATURAL

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

ABIS NATURAL

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
ABIS NATURAL


Surface:
GLOSSY



BEIGE




EARTH



ALBANIA EARTH

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

ALBANIA EARTH

GLOSSY
SURFACE

| RANDOM : 03



#Product Book

Wall & Floor:
ALBANIA EARTH

Surface:
GLOSSY



GREY



NATURAL



ALBERTO NATURAL

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

ALBERTO NATURAL

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Floor:
ALBERTO NATURAL


Surface:
GLOSSY




IVORY



BROWN




GREY



ALITAR GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**


**ALITAR
GREY**

GLOSSY
SURFACE

| RANDOM : 04

Wall & Floor:
ALITAR GREY

Surface:
GLOSSY





GREY



BROWN



ATRIO GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**ATRIO
GREY**

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
ATRIO GREY

Surface:
GLOSSY



WHITE



GREY



BROWN



BELTON WHITE

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**BELTON
WHITE**

GLOSSY
SURFACE

| RANDOM : 04




#Product Book

Wall & Floor:
BELTON WHITE

Surface:
GLOSSY




BIANCO



GREY



BEIGE



CARNICA BEIGE

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

CARNICA BEIGE

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
CARNICA BEIGE

Surface:
GLOSSY



BROWN



CASTANO BROWN

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

CASTANO BROWN

GLOSSY
SURFACE

| RANDOM : 04




#Product Book

Wall & Floor:
CASTANO BROWN

Surface:
GLOSSY



BROWN



GREY



EPITOMA BROWN

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

EPITOMA BROWN

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
EPITOMA BROWN

Surface:
GLOSSY



BIANCO



BEIGE



EARTH



EPOLIC BIANCO

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**EPOLIC
BIANCO**

**GLOSSY
SURFACE**

| **RANDOM : 04**



#Product Book

Wall & Floor:
EPOLIC BIANCO

Surface:
GLOSSY



GRIS



BEIGE



CHOCO



FLURRY TAN

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**FLURRY
TAN**

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
FLURRY TAN

Surface:
GLOSSY



GRAY



NATURAL



FRAG GRAY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**FRAG
GRAY**

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
FRAG GRAY

Surface:
GLOSSY




GRAY



BIANCO



NATURAL



GEO NATURAL

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

GEO NATURAL

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
GEO NATURAL

Surface:
GLOSSY



GREY



NATURAL



INDIZO GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**INDIZO
GREY**

**GLOSSY
SURFACE**

RANDOM : 04



#Product Book

Wall & Floor:
INDIZO GREY

Surface:
GLOSSY




MARLIN
TAN



INDO GOLD

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**INDO
GOLD**

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
INDO GOLD

Surface:
GLOSSY



GREY



ITAS GREY

Endmatch: Where Every Connection Finds its Perfect End.




Thickness:
9MM

Size:
**600X
1200MM**

**ITAS
GREY**

**GLOSSY
SURFACE**

RANDOM : 03



#Product Book

Wall & Floor:
ITAS GREY

Surface:
GLOSSY



GREY



IVORY



BROWN



JOLTA BROWN

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**JOLTA
BROWN**

**GLOSSY
SURFACE**

| **RANDOM : 04**


Floor:
JOLTA BROWN

Surface:
GLOSSY





EARTH



LIALA EARTH

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**LIALA
EARTH**

**GLOSSY
SURFACE**

| **RANDOM : 03**



#Product Book

Wall
LIALA EARTH

Surface:
GLOSSY



WHITE



GREY



NATURAL



MACEAL WHITE

Endmatch: Where Every Connection Finds its Perfect End.




Thickness:
9MM

Size:
**600X
1200MM**

**MACEAL
WHITE**

**GLOSSY
SURFACE**

| **RANDOM : 06**



#Product Book

Wall & Floor:
MACEAL WHITE

Surface:
GLOSSY



IVORY




EARTH



MANZI EARTH

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**MANZI
EARTH**

GLOSSY
SURFACE

| RANDOM : 06



#Product Book

Wall & Floor:
MANZI EARTH

Surface:
GLOSSY



IVORY



BROWN




EARTH



MARMI IVORY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**MARMI
IVORY**

**GLOSSY
SURFACE**

| **RANDOM : 04**



#Product Book

Wall & Floor:
MARM I VORY

Surface:
GLOSSY



NATURAL



MARTA NATURAL

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

MARTA NATURAL

GLOSSY
SURFACE

| RANDOM : 03



#Product Book

Wall & Floor:
MARTA NATURAL

Surface:
GLOSSY




GREY



MASTO GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

MASTO GREY

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
MASTO GREY

Surface:
GLOSSY



GREY




BROWN



MEDONA GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

MEDONA GREY

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
MEDONA GREY

Surface:
GLOSSY




BIANCO



GREY



BROWN



OBLA IVORY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**OBLA
IVORY**

**GLOSSY
SURFACE**

| **RANDOM : 04**



#Product Book

Wall & Floor:
OBLA IVORY

Surface:
GLOSSY



BIANCO



GREY



CREMA



RISIN BIANCO

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

RISIN BIANCO

GLOSSY
SURFACE

| RANDOM : 08




#Product Book

Wall & Floor:
RISIN BIANCO

Surface:
GLOSSY




WHITE



GREY



BEIGE



SCALEN BEIGE

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

SCALEN BEIGE

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
SCALEN BEIGE

Surface:
GLOSSY



SILVER



NERO



BEIGE



SELBI SILVER

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**SELBI
SILVER**

GLOSSY
SURFACE

| RANDOM : 04

Wall & Floor:
SELBI SILVER

Surface:
GLOSSY





GRIS



SHINE GRIS

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

**SHINE
GRIS**

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Floor:
SHINE GRIS


Surface:
GLOSSY



ASH



CHESTNUT



NATURAL



STANZA CHESTNUT

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

STANZA CHESTNUT

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Floor:
STANZA CHESTNUT

Surface:
GLOSSY



GREY



CREMA



STELLAR GREY

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

STELLAR GREY

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
STELLAR GREY

Surface:
GLOSSY



UNICO
GREY



TEPIC NATURAL

Endmatch: Where Every Connection Finds its Perfect End.



Thickness:
9MM

Size:
**600X
1200MM**

TEPIC NATURAL

GLOSSY
SURFACE

| RANDOM : 04



#Product Book

Wall & Floor:
TEPIC NATURAL

Surface:
GLOSSY

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1 (12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)