

FEEL THE
UNIQUENESS OF
TEXTURES



600X
1200MM

MATT Collection '24

EXPLORING THE BEAUTY OF MATT FINISH TILES

Matt finish tiles have become increasingly popular in modern interior design, offering a sleek and understated elegance to any space. With their smooth, non-reflective surface and subtle texture, these tiles add a touch of sophistication while providing practical benefits. Let's delve into the world of matt finish tiles and discover why they're a top choice for homeowners and designers alike.



FEATURES

Tiles have long been favored for their practicality, durability, and aesthetic appeal in both residential and commercial spaces. From kitchens and bathrooms to outdoor patios and beyond, tiles offer a range of features that make them a versatile choice for various applications. Let's delve into the key features that make tiles a popular option for flooring, walls, and other surfaces.



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



Removable &
Reuse



Easy to
Install



Chemical
Resistance



Ecological
Finish




Fire
Proof

Size:

600X
1200MM

We designed and produced ceramic surfaces in size of 600x1200mm where pragmatism meets beauty, innovation completes tradition, and technology is shaped to human needs.



APPLICATION

Tiles are versatile design elements that can transform the look and feel of any space, whether residential or commercial. From floors and walls to backsplashes and beyond, tiles offer endless possibilities for creative expression. Let's explore some innovative tile applications that can elevate the aesthetic appeal of your interior design.



Dining Hall



Bedroom



Bathroom



Living Room



SPA



Restaurant



Airport



Railway Station



Outdoor



Swimming Pool Area



Garden Area



Parking Area



Uniqueness
application

WALL FLORE



PRODUCT INDEX



Click on the slabs
below to view
their separators.



AMANTI
BROWN



BRUNO
BLUE



CEMENTA
CAMEL



CONTOR
BROWN



CRESTA
EARTH



DIGAR
BROWN



DILEC
STEEL



EARTHY
GRIS



EDDIE
AQUA



ELENCO
SKY



FADY
WHITE



FASONITE
GREY



FLIPSTONE
BEIGE



IGNITE
GREY



LAZIS
BROWN



LIBES
VERDE



LORENTA
IVORY



LUNETTA
GREY



MONE
CHOCO



MOPAZ
GREY



NARMO
CREMA



NETRA
CAMEL



OXIDO
GREY



PESTIC
GREY



PLEDO SLATE
GREEN



REMONY
GRIGO



ROMINI
CREMA



RUCIDO
AQUA



TACO
GREY



TRAVE
MARVI

AMANTI BROWN



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



CREAM



GREEN



WHITE



PREVIEW OF
AMANTI BROWN

BRUNO BLUE



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



GREEN



NATURAL



PREVIEW OF
BRUNO BLUE

CEMENTA CAMEL



600X1200MM

24"x48"

2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



CAMEL



GRIGO



IVORY



PREVIEW OF
CEMENTA CAMEL

CONTOR BROWN



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



GREY



PREVIEW OF
CONTOR BROWN

CRESTA EARTH



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



GREY



IVORY



PREVIEW OF

CRESTA EARTH

DIGAR BROWN



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors




BROWN



IVORY



GREY



PREVIEW OF

DIGAR BROWN

DILEC STEEL



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



GREEN



NATURAL



STEEL



PREVIEW OF
DILEC STEEL

EARTHY GRIS



600X1200MM
24"x48"
2"x4"




SURFACE
MATT

RANDOM
04

Available Colors



ASH



BROWN



CREMA



PREVIEW OF
EARTHY GRIS

EDDIE AQUA



600X1200MM
24"x48"
2"x4"



**SURFACE
MATT**

**RANDOM
05**

Available Colors



BIANCO



BROWN



IRON



PREVIEW OF
EDDIE AQUA

ELENCO SKY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
02

Available Colors



SILVER



PREVIEW OF
ELENCO SKY

FADY WHITE




600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



COTTO



GREY



PREVIEW OF
FADY WHITE

FASONITE GREY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
05

Available Colors



BROWN



EARTH



GRIS



PREVIEW OF
FASONITE GREY

FLIPSTONE BEIGE




600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
05

Available Colors



BLACK



GREY



IVORY



PREVIEW OF
FLIPSTONE BEIGE

IGNITE GREY



600X1200MM
24"x48"
2"x4"



**SURFACE
MATT**

**RANDOM
05**

Available Colors



BIANCO



CREMA



TAN



PREVIEW OF

IGNITE GREY

LAZIS BROWN

600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



BLACK



SILVER



PREVIEW OF
LAZIS BROWN

LIBES VERDE



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



CHOCO



GREY



WHITE



PREVIEW OF
LIBES VERDE

LORENTA IVORY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
02

Available Colors



BROWN



PREVIEW OF
LORENTA IVORY

LUNETTA GREY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



BIANCO



LATTE



PREVIEW OF
LUNETTA GREY

MONE CHOCO

600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



CREMA



GREY



IVORY



PREVIEW OF
MONE CHOCO

MOPAZ GREY

600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
02

Available Colors



CHOCO



PREVIEW OF
MOPAZ GREY

NARMO CREMA



600X1200MM
24"x48"
2"x4"



**SURFACE
MATT**

**RANDOM
05**

Available Colors



BROWN



CHOCO



GREY



PREVIEW OF
NARMO CREMA

NETRA CAMEL



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



GREY



IVORY



PREVIEW OF

NETRA CAMEL

OXIDO GREY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



CREMA



RUST



PREVIEW OF
OXIDO GREY

PESTIC GREY

600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



AZUL



EARTH



PREVIEW OF
PESTIC GREY

PLEDO SLATE GREEN



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



SLATE BLUE



SLATE NATURAL



PREVIEW OF

PLEDO SLATE GREEN

REMONY GRIGO



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



BROWN



LIGHT GREY



ROMINI CREMA



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
03

Available Colors



BROWN



GREY



PREVIEW OF

ROMINI CREMA

RUCIDO AQUA



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



GRIS



IVORY



VERDE



PREVIEW OF
RUCIDO AQUA

TACO GREY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



CREAM



WHITE



PREVIEW OF
TACO GREY

TRAVE MARVI



600X1200MM
24"x48"
2"x4"



**SURFACE
MATT**

**RANDOM
02**

Available Colors



TITANIUM



PREVIEW OF
TRAVE MARVI

UMOS NATURAL



600X1200MM
24"x48"
2"x4"



**SURFACE
MATT**

**RANDOM
04**

Available Colors



CHOCO



GREY



IVORY



PREVIEW OF
UMOS NATURAL

VOYA GREY



600X1200MM
24"x48"
2"x4"



SURFACE
MATT

RANDOM
04

Available Colors



BROWN



WHITE



PREVIEW OF
VOYA GREY

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 × 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) [R value])##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)