

EXPAND


your living space.



600 x**1**200mm


195 x1200mm

600 x600mm



# PRODUCT — FORMATE






Finish

#### **WOODEN MATT**


Wood effect tiles are as the name suggests tiles that look like wood. But unlike natural timber, our plank tiles are incredibly hard-wearing, really easy to live with and won't rot or warp when they get wet.

## CREATING AN ENVIRONMENT OF SCENERY

Designs That Remind You Of The Beauty Among The **Tall Trees And Small Fauna**.











Unlike hardwood floors, wood-look tiles are much durable to scratches, spills, and dirt. So once you install these tiles, they will look good for years to come. Wood tiles can hold water & moisture and so are very easy to maintain. Wood tiles are quite versatile.

# SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

#### **APLLICATION AREA**



**KITCHEN** 

LIVING ROOM



CORPORATE OFFICES

**HOTEL & RESTOURANTS** 



**BATHROOM** 

**PUBLIC PLACE** 










600x1200mm



195x1200mm



600x600mm

#### **ASHWOOD NATURAL**









**600**x**1200**mm



#### BELLA WOOD BEIGE









600x1200mm



#### **BELLA WOOD BROWN**













**600**x**1200**mm



#### BELLA WOOD GREY











600x1200mm



**195**x**1200**mm

#### **BELLA WOOD MULTI**



**600**x**600**mm









600x1200mm



195x1200mm



**600**x**600**mm

#### **BEECH WOOD**







**600**x**1200**mm



**195**x**1200**mm



#### **CHEVRON BEIGE**













**600**x**1200**mm



**195**x**1200**mm



#### **CHEVRON CREMA**









**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **CHEVRON GREY**







600x1200mm



**195**x**1200**mm



#### CHEVRON LIGHT BROWN









**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

#### **GEVEETER BEIGE**







#### **GEVEETER BROWN**







600x1200mm



195x1200mm





**600**x**600**mm

#### **GEVEETER CHOCO**









**600**x**1200**mm



**195**x**1200**mm





600x600mm

### HARD WOOD









**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

#### **HABITAT OCRE**







**600**x**1200**mm



195x1200mm



**600**x**600**mm

#### **HECTOR TEAK**










**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **INGALLS BEIGE**









600x1200mm



195x1200mm



**600**x**600**mm

### **INGALLS CHOCO**









**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **INGALLS JUNK**









**600**x**1200**mm



**195**x**1200**mm



#### **IRATI BEIGE**

 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{Random}: \mbox{\bf 01}$ 









**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

#### **IRATI BROWN**







**600**x**1200**mm



**195**x**1200**mm





**600**x**600**mm

#### **IRATI CHOCO**

 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{Random}: \mbox{\bf 01}$ 










**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **IRATI GREY**


 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{Random}: \mbox{\bf 01}$ 







**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

# **KERRY WOOD**











**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **KNOTY OAK WALNUT**







**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

### **OCTIVA NATURAL**










**600**x**1200**mm



**195**x**1200**mm




**600**x**600**mm


# **PECAN WOOD BROWN**







**600**x**1200**mm



**195**x**1200**mm



# PINE HONEY












**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm


# PINE NUTMEG







**600**x**1200**mm



**195**x**1200**mm



### PINE NUTMEG LIGHT









**600**x**1200**mm



**195**x**1200**mm





**600**x**600**mm

# PLANK WOOD BEIGE







600x1200mm



**195**x**1200**mm



**600**x**600**mm

# PLANK WOOD CHOCO LIGHT









**600**x**1200**mm



**195**x**1200**mm





**600**x**600**mm

# PLANK WOOD CHOCO









600x1200mm



195x1200mm





**600**x**600**mm


### **PLANK WOOD GREY**

 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{Random}: \mbox{\bf 01}$ 










**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

# PROZZO WOOD







600x1200mm



**195**x**1200**mm




**600**x**600**mm

### **RUSSAL WOOD**

 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{\sf Random}: \mbox{\bf 03}$ 













600x1200mm



195x1200mm



**600**x**600**mm

### **REDGUM BROWN**










# **TEAK WOOD BROWN**












**600**x**1200**mm



195x1200mm



**600**x**600**mm

#### **TEAK DARK**











**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

# **TELYOD WOOD**

 $\mbox{Finish}: \mbox{\bf Matt} \ | \ \mbox{\sf Random}: \mbox{\bf 03}$ 









600x1200mm



#### **WASHED OAK NATURAL**












**600**x**1200**mm



**195**x**1200**mm



**600**x**600**mm

#### **ZEBRA BROWN**









#### **AMERICAN BRASSWOOD**

Random: 03

### **SCOTT WOOD**

Random: 03

Size: 600x600mm | Finish: Matt



# TECHNOLOGY & AFFILIATIONS











#### OUR CERTIFICATE












#### TILES INSTALLATION



#### **Special Laying Instruction:**

#### **Tiles Spacers**

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

#### Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- · Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

#### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ries		
I) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
I) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
I) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

#### **PACKING DETAIL**

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	