JAN 20 24



Book Match Tiles Have An Eye-catching, Plush Appearance.

**600** x**600**mm

# SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

#### **APLLICATION AREA**



**KITCHEN** 

LIVING ROOM



**CORPORATE OFFICES** 

**HOTEL & RESTOURANTS** 






**BATHROOM** 

**PUBLIC PLACE** 



## CP 5033

Size: 600x600mm

































## CP 5034

Size : **600x600mm** 

































## CP 5037

Size : **600x600mm** 

































## CP 5040

Size : **600x600mm** 

















WATER RESISTANT




CHEMICAL RESISTANT






HYGIENIC SURFACE



## CP 5041

Size : **600x600mm** 





















HYGIENIC SURFACE





## CP 5042

Size : **600x600mm** 







EASY AINTENANCE







HIGH STRENGTH
















NT



HYGIENIC



## CP 5043

Size : **600x600mm** 



























HYGIENIC SURFACE






## CP 5044

Size : **600x600mm** 

Finish: GLOSSY

























## CP 5045

Size: 600x600mm

Finish: GLOSSY
































## CP 5046

Size : **600x600mm** 

Finish: GLOSSY





















## CP 5052

Size : **600x600mm** 

Finish: GLOSSY







CHEMICAL RESISTANT






















## CP 5053

Size : **600x600mm** 



































## CP 5054

Size : **600x600mm** 







EASY AINTENANCE



HIGH



WATER


















## CP 5055

Size : **600x600mm** 



































## CP 5056

Size : **600x600mm** 









DIMENSIONAL STABILITY
























## CP 5057

Size : **600x600mm** 

Finish: GLOSSY








EASY DIN



HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT




HYGIENI

## CP 5058

Size : **600x600mm** 

Finish: GLOSSY







DIMENSIONAL


























## CP 5059

Size : **600x600mm** 





















HYGIENIC SURFACE



## CP 5060

Size : **600x600mm** 
































## CP 5061

Size: 600x600mm

Finish: GLOSSY







DIMENSIONAL STABILITY






















## CP 5062

Size : **600x600mm** 

Finish: GLOSSY

































## CP 5063

Size : **600x600mm** 

Finish: GLOSSY







DIMENSIONAL STABILITY



















## CP 5064

Size: 600x600mm

Finish: GLOSSY




























## CP 5065

Size : **600x600mm** 

























## CP 5066

Size : **600x600mm** 















WATER RESISTAN










FIRE RESISTANT



HYGIENI





## CP 5067

Size : **600x600mm** 


































## CP 5068

Size : **600x600mm** 

Finish: GLOSSY







CHEMICAL RESISTANT









DIMENSIONAL













## CP 5070

Size : **600x600mm** 

Finish: GLOSSY





















## CP 5071

Size : **600x600mm** 

Finish: GLOSSY






























## CP 5073

Size : **600x600mm** 



























HYGIENIC SURFACE



## CP 5074

Size: 600x600mm




































## CP 5075

Size : **600x600mm** 

Finish: GLOSSY







EASY AINTENANCE





HIGH STRENGTH



WATER RESISTAN










FIRE



HYGIENIC SURFACE

## CP 5076

Size : **600x600mm** 







DIMENSIONAL





























## **CP 5077**

Size : **600x600mm** 


























HYGIENIC SURFACE



## CP 5078

Size : **600x600mm** 






























### CP 5080

Size : **600x600mm** 









DIMENSIONAL STABILITY















HYGIENIC SURFACE




## CP 5082

Size: 600x600mm

Finish: GLOSSY







EASY AINTENANCE



ISIONAL BILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL





FIRE








### CP 5083

Size : **600x600mm** 























HYGIENIC SURFACE



### CP 5084

Size: 600x600mm

































# CP 5085

Size : **600x600mm** 
























### CP 5087

Size : **600x600mm** 

Finish: GLOSSY







EASY AINTENANCE









WATER RESISTANT









FIRE









## CP 5088

Size : **600x600mm** 

Finish: GLOSSY























## CP 5089

Size : **600x600mm** 

Finish: GLOSSY







EASY DIMENSIONAL STABILITY









WATER RESISTANT







FIRE








### CP 5096

Size : **600x600mm** 









DIMENSIONAL STABILITY













HYGIENIC SURFACE



### CP 5098

Size : **600x600mm** 




































# CP 5100

Size : **600x600mm** 























## CP 5101

Size: 600x600mm

Finish: GLOSSY







CHEMICAL RESISTANT









WATER RESISTANT



DIMENSIONAL

IMPACT RESISTANCE






















## CP 5103

Size : **600x600mm** 

Finish: GLOSSY







DIMENSIONAL STABILITY
























HYGIENIC SURFACE

## CP 5104

Size : **600x600mm** 





































# CP 5105

Size : **600x600mm** 


























### CP 5107

Size : **600x600mm** 

Finish: GLOSSY







DIMENSIONAL





WATER RESISTANT
















## CP 5108

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL STABILITY


















HYGIENIC SURFACE

### CP 5111

Size : **600x600mm** 































## CP 5112

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL STABILITY













### CP 5113

Size : **600x600mm** 















WATER RESISTANT



















## CP 5115

Size : **600x600mm** 
























FIRE RESISTANT



HYGIENIC SURFACE





### CP 5116

Size: 600x600mm




































## CP 5117

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL STABILITY




















HYGIENIC SURFACE




### CP 5119

Size: 600x600mm

Finish: GLOSSY







EASY AINTENANCE



MENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE







## CP 5120

Size : **600x600mm** 































HYGIENIC SURFACE



## CP 5121

Size : **600x600mm** 











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN




CHEMICAL RESISTANT



FIRE RESISTANT



HYGIENI





## CP 5122

Size : **600x600mm** 





























HYGIENIC SURFACE



## CP 5123

Size : **600x600mm** 





































### CP 5124

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL STABILITY
















### CP 5125

Size : **600x600mm** 
































## CP 5126

Size : **600x600mm** 
































### CP 5127

Size : **600x600mm** 









DIMENSIONAL
















HYGIENIC SURFACE





## CP 5128

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL

















## CP 5129

Size: 600x600mm











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT










## CP 5130

Size : **600x600mm** 







EASY DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL


IMPACT RESISTANCE

.

FIRE RESISTANT




HYGIENIC SURFACE



### CP 5131

Size: 600x600mm











DIMENSIONAL
























## CP 5132

Size : **600x600mm** 

Finish: GLOSSY






















### CP 5133

Size : **600x600mm** 











HIGH STRENGTH



WATER RESISTANT









FIRE







### CP 5134

Size : **600x600mm** 

Finish: GLOSSY









DIMENSIONAL STABILITY

















## CP 5135

Size : **600x600mm** 











HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT





### TECHNOLOGY & AFFILIATIONS











### OUR CERTIFICATE











#### **TILES INSTALLATION**



#### **Special Laying Instruction:**

#### **Tiles Spacers**

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

#### Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

#### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

#### PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	