



Size:

600×600mm



Carving finish tiles represent an exquisite fusion of art and architecture, where intricate designs are meticulously carved into the surface of ceramic, stone, or other materials.





SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS



BATHROOM

PUBLIC PLACE









ALKON BEIGE

Size: 600x600mm

Finish: CARVING





















HYGIENIC SURFACE















ALKON BROWN

Size: 600x600mm

Finish: **CARVING**




























ALKON GREY

Size: 600x600mm

Finish: CARVING
















CHEMICAL RESISTANT






HYGIENIC SURFACE



Random: 04











ANTLY BROWN

Size: 600x600mm

Finish: **CARVING**





DIMENSIONAL












HYGIENIC SURFACE











ANTLY GREY

Size : **600x600mm**

Finish: CARVING

FEATURES









WATER RESISTANT





HYGIENIC SURFACE













ANTLY LIGHT

Size : **600x600mm**

Finish: CARVING


































ARGENTINE ROOT

Size: 600x600mm

Finish: CARVING





































ASTOR MUSHROOM

Size: 600x600mm

Finish: CARVING







EASY UNITENANCE







WATER RESISTAN













HYGIENIC









ATLAS BIANCO

Size : **600x600mm**

Finish: CARVING

FEATURES
































Random: 06











ATLAS CREMA

Size : **600x600mm**

Finish: CARVING





DIMENSIONAL

























CARBON BLACK

Size: 600x600mm

Finish: CARVING

FEATURES





























HYGIENIC SURFACE



Random: 05











CR SATUARIO

Size : **600x600mm**

Finish: CARVING































CR-02 SATUARIO

Size: 600x600mm

Finish: CARVING

FEATURES



EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



RESISTANT












FIRE RESISTANT



HYGIENI SURFAC













CR-03 SATUARIO

Size: 600x600mm

Finish: CARVING



























CRANZA BROWN

Size: 600x600mm

Finish: CARVING


























Random: 05












DAMAYO BROWN

Size: 600x600mm

Finish: CARVING





































DANIRY CHOCCO

Size: 600x600mm

Finish: CARVING



































DANIRY GREY

Size : **600x600mm**

Finish: CARVING



















Random: 04









DANIRY LIGHT

Size: 600x600mm

Finish: CARVING







DIMENSIONAL



























DOZTI BROWN

Size: 600x600mm

Finish: CARVING





CHEMICAL RESISTANT



DIMENSIONAL





WATER RESISTANT



IMPACT RESISTANCE













LAURANT BROWN



























LUCCIA BROWN

Size: 600x600mm

Finish: CARVING

FEATURES

















HYGIENIC SURFACE











NIRMA BROWN

Size: 600x600mm

Finish: **CARVING**





EASY AINTENANCE





HIGH STRENGTH



ı

WATER RESISTAN



CHEMICAL RESISTANT


























NIRMA GREY

Size : **600x600mm**

Finish: CARVING





EASY DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL





FIRE RESISTANT















NOZTI BROWN

Size : **600x600mm**








































NOZTI LIGHT

Size : **600x600mm**

Finish: **CARVING**

























Random: 05









NOZZTI CHOCCO

Size: 600x600mm

Finish: CARVING



Random: 05





DIMENSIONAL


















HYGIENIC SURFACE













NOZZTI WHITE

Size : **600x600mm**

Finish: CARVING







DIMENSIONAL


























OCEAN CREMA

Size: 600x600mm

Finish: CARVING





EASY



DIMENSIONAL STABILITY



HIGH FRENGTH



WATER RESISTANT

























OCEAN GREY

Size: 600x600mm



































PENDURA BEIGE

Size: 600x600mm

Finish: CARVING





EASY AINTENANCE



MENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT




CHEMICAL RESISTANT


























PENDURA BROWN

Size: 600x600mm

Finish: CARVING




































PRIATO BROWN

Size: 600x600mm





















Random: 04











PRIATO GREY

Size: 600x600mm

Finish: CARVING





DIMENSIONAL



























ROYAL BROWN

Size: 600x600mm









































SOFI BROWN

Size: 600x600mm

Finish: CARVING





DIMENSIONAL





WATER RESISTANT



CHEMICAL RESISTANT








HYGIENIC SURFACE













SOFIA LIGHT

Size: 600x600mm

Finish: CARVING







DIMENSIONAL





WATER RESISTANT

CHEMICAL RESISTANT











TECHNOLOGY & AFFILIATIONS











OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIE	S		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTII	S		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	TES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
I) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	