


Beautiful in



Size:

600×600mm



Welcome to the mesmerizing world of DOUBLE CHARGE Tiles, where imagination comes to life in every dimension, transporting you to extraordinary realms of wonder and adventure





DOUBLE CHARGE

indulge in the exquisite brilliance of our DC Series , where style meets perfection.

SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS



BATHROOM

PUBLIC PLACE








CIZA BLUE

Size : **600x600mm**

Finish : Glossy







EASY



IONAL LITY



HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT










CIZA DARK GREY

Size : **600x600mm**

Finish: Glossy

























CIZA CHOCO

Size : **600x600mm**

Finish: Glossy





























CIZA DARK BROWN

Size : **600x600mm**



































CIZA LIGHT GREY

Size : **600x600mm**

Finish: Glossy







EASY









WATER RESISTANT









FIRE











CIZA GREEN

Size : **600x600mm**

Finish: Glossy



























CIZA LIGHT BROWN

Size : **600x600mm**

















WATER RESISTAN



CHEMICAL RESISTANT






















CIZA YELLOW

Size : **600x600mm**

Finish : Glossy





























DYNAMIC BEIGE

Size : **600x600mm**

Finish: Glossy































DRAGON WHITE

Size : **600x600mm**

Finish: Glossy







DIMENSIONAL



















DYNAMIC GREY WHITE

Size: 600x600mm





































MATRIX BEIGE

Size : **600x600mm**







EASY AINTENANCE



H STRI



HIGH STRENGTH



WATER RESISTAN



CHEMICAL







FIRE RESISTANT



HYGIENIC





DYNAMIC GREY

Size: 600x600mm

Finish: Glossy






































MATRIX CHOCO LIGHT

Size: 600x600mm
































MATRIX LIGHT BEIGE

Size: 600x600mm











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL RESISTANT







FIRE RESISTANT













MURATO AQUA

Size : **600x600mm**




































MATRIX CHOCO

Size : **600x600mm**








































MURATO ALMOND

Size : **600x600mm**







EASY DIMEN



HIGH STRENGTI





ANCE STABILITY



IMPACT RESISTANCE



FIRE RESISTANT




HYGIENI






MURATO BEIGE

Size : **600x600mm**






































MURATO BROWN

Size : **600x600mm**






































MURATO BLUE

Size: **600x600mm**






































MURATO CREMA

Size : **600x600mm**








































MURATO GREY

Size : **600x600mm**













































MURATO GOLD

Size : **600x600mm**































MURATO MINT

Size : **600x600mm**









DIMENSIONAL





















MURATO SILVER

Size : **600x600mm**




























MURATO PINK

Size : **600x600mm**
















CHEMICAL RESISTANT














MURATO SLATE

Size : **600x600mm**
































STONE CREMA

Size: 600x600mm







EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN









FIRE RESISTANT



HYGIEN









STONE BROWN

Size : **600x600mm**


Finish: Glossy





FEATURES























STONE DARK GREY

Size : **600x600mm**











SIONAL ILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL



,














REGAL GRUNGE

Size : **600x600mm**






























STONE LIGHT GREY

Size: 600x600mm


























TECHNOLOGY & AFFILIATIONS











OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	