

Matt
COLLECTION

JAN
20
24

600
x600mm

MATT FINISH




Size : **600x600mm**

MATT FINISH

8.8 THICKNESS

Feel the luxury of Matt Collection, Our Matt collection is the perfect epitome of supremacy & glory. Diligence is the inherent feature of our surfaces. Add the opulence & to exuberance to your space.



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

An unlimited choice of solutions that help you
create unique spaces.

APPLICATION



Commercial
Building



Residential



School &
College



Industry



Spa and
Wellness Centres



Religious
Place



Hospital



Hotel,
Restaurant & Cafe

These are the most common application
used for your place



SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN



LIVING ROOM



CORPORATE OFFICES



HOTEL & RESTOURANTS



BATHROOM



PUBLIC PLACE

Matt
COLLECTION

Size : 600x600mm

Finish : Matt



MINIMUM
3MM SPACE
RECOMMEND



AMERICAN BRASSWOOD

Random : 3





AMERICAN BRASSWOOD


COPERTA GRIS SERIES



GREY



PISTA







PISTA LIGHT





COPERTA GRIS GREY

Random : 4



COPERTA GRIS PISTA

Random : 4







Matt
COLLECTION

Size : 600x600mm

Finish : Matt



MINIMUM
3MM SPACE
RECOMMEND




COPERTA GRIS PISTA LIGHT

Random : 4






CEMENTIANA GREY
Random : 3



PLAIN WHITE





CEMENTIANA GREY

CORDIA SERIES



BEIGE




SILVER




CORDIA SILVER

Random : 1



CORDIA BEIGE


Random : 3



ENAMEL CEMENTO SERIES

A vertical rectangular swatch of a mottled blue-grey color with a fine, grainy texture.

AQUA

A vertical rectangular swatch of a light, off-white color with a fine, grainy texture.

GREY LIGHT

A vertical rectangular swatch of a medium grey color with a fine, grainy texture.

GREY

A vertical rectangular swatch of a medium brown color with a fine, grainy texture.

BROWN

A vertical rectangular swatch of a dark brown color with a fine, grainy texture.

CHOCO




A vertical rectangular swatch of a light tan or beige color with a fine, grainy texture.

CHOCO LIGHT




ENAMEL CEMENTO BROWN

Random : 4



ENAMEL CEMENTO CHOCO

Random : 4








ENAMEL CEMENTO BROWN





ENAMEL CEMENTO
CHOCO LIGHT

Random : 4




ENAMEL CEMENTO GREY

Random : 4








ENAMEL CEMENTO GREY





ENAMEL CEMENTO
GREY LIGHT

Random : 4



ENAMEL CEMENTO AQUA

Random : 4





ENAMEL CEMENTO AQUA


GENEVA SERIES

GREY



WHITE



GENEVA GREY
Random : 5



GENEVA WHITE
Random : 5







GENEVA GREY



PULPIS BEIGE

Random : 1





PULPIS BEIGE

RECTUS GRIS SERIES

BEIGE

CHOCO


CHOCO LIGHT

DARK GREY

LIGHT GREY



NERO

PINK



RECTUS GRIS CHOCO



Random : 4



RECTUS GRIS CHOCO LIGHT















RECTUS GRIS DARK GREY

Random : 4



RECTUS GRIS LIGHT GREY

Random : 4







RECTUS GRIS DARK GREY






RECTUS GRIS NERO

Random : 4



RECTUS GRIS PINK

Random : 4





Matt
COLLECTION

Size : 600x600mm

Finish : Matt



RECTUS GRIS BEIGE

Random : 4



ROYAL SERIES

BIANCO




BROWN

CHOCO



COBART



ROYAL BIANCO
Random : 1



ROYAL BROWN
Random : 1










ROYAL CHOCO

Random : 1



ROYAL COBART

Random : 1






SATUARIO SERIES

01




03

WHITE

59




SATUARIO 01
Random : 3



SATUARIO 03
Random : 3







SATUARIO 03





SATUARIO 59

Random : 3



SATURIO WHITE

Random : 3





SATURIO WHITE

Matt
COLLECTION

Size : 600x600mm

Finish : Matt



MINIMUM
3MM SPACE
RECOMMEND



TRAVER AQUA

Random : 3








TEAK WOOD BROWN

Random : 2





TEAK WOOD BROWN

VOLCANO BEIGE SERIES

BEIGE 01

BEIGE 02



BEIGE 03

BEIGE 04







VOLCANO BEIGE 01

Random : 3



VOLCANO BEIGE 02

Random : 3












VOLCANO BEIGE O3

Random : 3




VOLCANO BEIGE O4

Random : 3





VOLCANO BROWN SERIES



BROWN O2


BROWN O4

BROWN O3





VOLCANO BROWN O2

Random : 3



VOLCANO BROWN O3

Random : 3









VOLCANO BROWN O4

Random : 3





VOLCANO BROWN 04

VOLCANO GREY SERIES

GREY 01

GREY 02



GREY 03

GREY 04






VOLCANO GREY O1

Random : 3



VOLCANO GREY O2

Random : 3










VOLCANO GREY O3

Random : 3



VOLCANO GREY O4

Random : 3





TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE

UK
CA



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x10 ⁶	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt./Box (approx.)	26-27 Kgs.