



Wood-era
COLLECTION

We designed and produced ceramic surfaces in size of 600x1200mm where pragmatism meets beauty, innovation completes tradition, and technology is shaped to human needs.



Elevate Your Space with Woodern Tiles:
Where Art Meets Architecture.

Wooden Beauty

COMPANY STATISTICS

5000+
Happy Clients

40+
Export Countries

250+
Creative Design

SURFACE EXPLOIT ALL ARCHITECTURAL AND CREATIVE POTENTIAL.

The Wood collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.



**WOOD
SLIFACE**
with Matt Beauty

APPLICATIONS + FEATURES

Shades of neutral tones and refined surfaces of timeless simplicity. The perfect synthesis of design, versatility and leading edge technology, to meet all needs: indoors and outdoors, in residential projects and in the most widely varying commercial and public locations.



TILES FEATURES



Lightweight
Easily
Handled
Slabs



Resistance
To Deep
Abrasion



Resistant
To Thermal
Shock



Resistance
To Acids
And Bases



Does Not
Absorb
Liquids



Frost
Resistance



Fire
Resistance



Easy
Cleaning



Stain
Resistance



Easy To
Install



Hygienic



PRODUCT INDEX



Click on the slabs
below to view
their separators.



CARGO
TAN



DACOTA
BEIGE



EKHA
NATURAL



EXERA
BLACK



MEMPHIS
CHOCO



NAPTA
NATURAL



ROMIT
BROWN



RUSSET
BROWN



RUSSET
IRON



SANZO
BROWN



SANZO
GREY



SILRA WOOD
NATURAL



SILRA WOOD
SILVER



TALOKAN
DARK



TAMLA
BROWN



TAMLA
GREY




Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

CARGO TAN



Wood-era
COLLECTION



#Product Book

Floor:
CARGO TAN

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

DACOTA BEIGE



Wood-era
COLLECTION



#Product Book

Floor:
DACOTA BEIGE

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

EKHA NATURAL



Wood-era
COLLECTION



#Product Book

Floor:
EKHA NATURAL

Surface:
MATT



EXERA BLACK



Size : 600X1200MM

Finish : MATTE

RANDOM : 03


THICKNESS : 9MM

Wood-era
COLLECTION

Floor:
EXERA BLACK

Surface:
MATT





Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

MEMPHIS CHOCO



Wood-era
COLLECTION



#Product Book

Floor:
MEMPHIS CHOCO

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

NAPTA NATURAL




Wood-era
COLLECTION

Floor:
NAPTA NATURAL

Surface:
MATT





Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

ROMIT BROWN




Wood-era
COLLECTION

Floor:
ROMIT BROWN

Surface:
MATT





Size : 600X1200MM
Finish : MATT

RANDOM : 03
THICKNESS : 9MM

RUSSET BROWN



Wood-era
COLLECTION



#Product Book

Floor:
RUSSET BROWN

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

RUSSET IRON



Wood-era
COLLECTION



#Product Book

Floor:
RUSSET IRON

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

SANSO BROWN




Wood-era
COLLECTION

Floor:
SANSO BROWN

Surface:
MATT





Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

SANSO GREY




Wood-era
COLLECTION



#Product Book

Floor:
SANSO GREY

Surface:
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

SILRA WOOD NATURAL



Wood-era
COLLECTION

Floor:
SILRA WOOD
NATURAL

Surface:
MATT





Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

SILRA WOOD SILVER



Wood-era
COLLECTION



#Product Book

Floor:
SILRA WOOD
SILVER

Surface:
MATT




Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

TALOKAN DARK



Wood-era
COLLECTION




#Product Book

Floor:
TALOKAN DARK

Surface:
MATT

TAMLA BROWN



Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM



Wood-era
COLLECTION



#Product Book

Floor:
TAMLA BROWN

Surface:
MATT

TAMLA GREY



Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM



Wood-era
COLLECTION



#Product Book

Floor:
TAMLA GREY

Surface:
MATT

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)