



Carvila collection

We designed and produced ceramic surfaces in size of 600x1200mm where pragmatism meets beauty, innovation completes tradition, and technology is shaped to human needs.



Elevate Your Space with Carving Tiles:
Where Art Meets Architecture.

Carving Beauty

COMPANY STATISTICS

5000+
Happy Clients

40+
Export Countries


250+
Creative Design

SURFACE EXPLOIT ALL ARCHITECTURAL AND CREATIVE POTENTIAL.

The Carving collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.



CARVING SURFACE with Endless Beauty



APPLICATIONS + FEATURES

Shades of neutral tones and refined surfaces of timeless simplicity. The perfect synthesis of design, versatility and leading-edge technology, to meet all needs: indoors and outdoors, in residential projects and in the most widely varying commercial and public locations.



High resistance to ultraviolet light



Scratch-resistant



Colour stability



Wear-resistant



Dimensional stability



Ice and thaw resistance



Stain-resistant




Maximum fire and heat resistance

TILES FEATURES



Lightweight
Easily
Handled
Slabs



Resistance
To Deep
Abrasion



Resistant
To Thermal
Shock



Resistance
To Acids
And Bases



Does Not
Absorb
Liquids



Frost
Resistance



Fire
Resistance



Easy
Cleaning



Stain
Resistance



Easy To
Install



Hygienic



PRODUCT INDEX

 Click on the slabs below
to view their separators.



AMBRATO WHITE



ARDENZA MOKA



ASPAZA AQUA



BINET BEIGE



BRITTA GREEN



CAIRO CREMA



CANTA GREY



CLASSICO IRON



CLOBA GREY



CRUZE MULTY



CURIC NERO



DELLSUN WHITE



DELOS DOVE



ELIZA BEIGE



ELLIC EARTH



ESCLATE WHITE



FLIKO NATURAL



FUSTA BEIGE



GERMIC GREY

PRODUCT INDEX

 Click on the slabs below
to view their separators.



GRELO GRIS



HARMO NERO



HELA GREY



HELIX GREY



JASPERO COPPER



LARANT MULTY



LITHIC GRIS



LORCA CREMA



MARVEL GREY



MIJARES WHITE



MORIS IVORY



MUNICO GREY



ODITA TAN



ONCI IVORY



ORIENTA GREY



OSCO BIANCO



OTALA MOKA



TIPAS TAN




VIVLA AQUA

PRODUCT INDEX




Click on the slabs below
to view their separators.



VORTEX BLACK

AMBRATO
CREMA



Size : 600X1200MM
Finish : CARVING

AMBRATO
WHITE




RANDOM : 03
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
AMBRATO WHITE


Surface:
CARVING

ARDENZA
MOKA



Size : 600X1200MM
Finish : CARVING

ARDENZA
WHITE




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
ARDENZA MOKA


Surface:
CARVING

ASPAZA
AQUA



Size : 600X1200MM
Finish : CARVING

ASPAZA
BROWN




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall & Floor:
ASPAZA AQUA

Surface:
CARVING

**BINET
BEIGE**



Size : 600X1200MM

Finish : CARVING


RANDOM : 03


THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Wall
BINET BEIGE


Surface:
CARVING

**BRITTA
AQUA**



Size : 600X1200MM
Finish : CARVING

**BRITTA
GREEN**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall & Floor:
BRITTA GREEN

Surface:
CARVING

CAIRO
PEARL




Size : 600X1200MM
Finish : CARVING

CAIRO
CREMA




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
CAIRO CREMA

Surface:
CARVING

CANTA
WHITE



Size : 600X1200MM
Finish : CARVING

CANTA
GREY




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
CANTA GREY

Surface:
CARVING

CLASSICO
GREY



Size : 600X1200MM
Finish : CARVING

CLASSICO
IRON




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
CLASSICO IRON

Surface:
CARVING

CLOBA
GREY



Size : 600X1200MM

Finish : CARVING

RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
CLOBA GREY

Surface:
CARVING

**CRUZE
MULTY**



Size : 600X1200MM
Finish : CARVING




RANDOM : 06
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
CRUZE MULTY

Surface:
CARVING

**CURIC
CREMA**



Size : 600X1200MM
Finish : CARVING

**CURIC
NERO**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall & Floor:
CURIC NERO

Surface:
CARVING

DELLSUN
WHITE




Size : 600X1200MM
Finish : CARVING

RANDOM : 03
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
DELLSUN WHITE

Surface:
CARVING

DELOS
DOVE



Size : 600X1200MM

Finish : CARVING




RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
DELOS DOVE

Surface:
CARVING

**ELIZA
NATURAL**



Size : 600X1200MM
Finish : CARVING

**ELIZA
BEIGE**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
ELIZA BEIGE

Surface:
CARVING

ELLIC
EARTH



Size : 600X1200MM

Finish : CARVING


RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
ELLIC EARTH

Surface:
CARVING

ESCLATE
WHITE




Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
ESCLATE WHITE

Surface:
CARVING

FLIKO
NATURAL




Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
FLIKO NATURAL

Surface:
CARVING

FUSTA
GRIS



Size : 600X1200MM
Finish : CARVING

FUSTA
BEIGE




RANDOM : 03
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
FUSTA BEIGE

Surface:
CARVING

GERMIC
GREY



Size : 600X1200MM


Finish : CARVING




RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
GERMIC GREY

Surface:
CARVING

GRELO
GRIS



Size : 600X1200MM

Finish : CARVING




RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
GRELO GRIS


Surface:
CARVING

**HARMO
CREMA**



Size : 600X1200MM
Finish : CARVING

**HARMO
NERO**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
HARMO NERO

Surface:
CARVING

HELA
GREY



Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
HELA GREY

Surface:
CARVING

HELIX
GREY



Size : 600X1200MM

Finish : CARVING




RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
HELIX GREY

Surface:
CARVING

JASPERO
COPPER



Size : 600X1200MM

Finish : CARVING




RANDOM : 04


THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
JASPERO COPPER

Surface:
CARVING

LARANT
MULTY



Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
LARANT MULTY

Surface:
CARVING

LITHIC
GRIS



Size : 600X1200MM

Finish : CARVING




RANDOM : 04

THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Wall
LITHIC GRIS

Surface:
CARVING

LORCA
GRIS



Size : 600X1200MM
Finish : CARVING

LORCA
CREMA




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
LORCA CREMA

Surface:
CARVING

MARVEL
BIANCO



Size : 600X1200MM
Finish : CARVING

MARVEL
GREY




RANDOM : 03
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book
Wall & Floor: MARVEL GREY
Surface: CARVING

**MIJARES
NERO**




Size : 600X1200MM
Finish : CARVING

**MIJARES
WHITE**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
MIJARES WHITE

Surface:
CARVING

MORIS
BIANCO



Size : 600X1200MM
Finish : CARVING

MORIS
GREY




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
MORIS GREY

Surface:
CARVING

MORIS
IVORY



Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
MORIS IVORY


Surface:
CARVING

MUNICO
IVORY



Size : 600X1200MM
Finish : CARVING

MUNICO
GREY




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES



Wall
MUNICO GREY

Surface:
CARVING



ODITA
GRIS




Size : 600X1200MM
Finish : CARVING

ODITA
TAN




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
ODITA TAN

Surface:
CARVING

ONCI
GREY



Size : 600X1200MM
Finish : CARVING

ONCI
IVORY




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall
ONCI IVORY

Surface:
CARVING

**ORIENTA
BEIGE**



Size : 600X1200MM
Finish : CARVING

**ORIENTA
GREY**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall & Floor:
ORIENTA GREY

Surface:
CARVING

**OSCO
GREY**



Size : 600X1200MM
Finish : CARVING

**OSCO
BIANCO**




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Wall & Floor:
OSCO BIANCO

Surface:
CARVING

OTALA
GREY




Size : 600X1200MM
Finish : CARVING

OTALA
MOKA




RANDOM : 03
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Floor
OTALA MOKA

Surface:
CARVING

TIPAS
TAN



Size : 600X1200MM
Finish : CARVING




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Wall
TIPAS TAN


Surface:
CARVING

VIVLA
GREY




Size : 600X1200MM
Finish : CARVING

VIVLA
AQUA




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES






#Product Book

Floor
VIVLAAQUA


Surface:
CARVING

VORTEX
GREY




Size : 600X1200MM
Finish : CARVING

VORTEX
BLACK




RANDOM : 04
THICKNESS : 9MM

CARVING



TILES FEATURES





#Product Book

Wall & Floor:
VORTEX BLACK

Surface:
CARVING

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)