

MARVEL
COLLECTION

JAN
20
24

Timeless shimmer
Charm

600
x600mm




Size :

600×600mm


Finish :

GLOSSY FINISH

Thickness :



Welcome to the mesmerizing world of Marvel Tiles, where imagination comes to life in every dimension, transporting you to extraordinary realms of wonder and adventure



MARVEL
COLLECTION



indulge in the exquisite brilliance of our
DC Series , where style meets perfection.

MARVEL COLLECTION

SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS



BATHROOM

PUBLIC PLACE



MARVEL ARMANI CHOCO

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND






MARVEL ARMANI CHOCO

MARVEL ARMANI CHOCO LIGHT

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE




FIRE
RESISTANT



HYGIENIC
SURFACE

MARVEL ARMANI GREY

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

MARVEL ARMANI LIGHT GREY

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE



MARVEL ARMANI LIGHT GREY

MARVEL BIANCO CARRARA

Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

MARVEL BRECCIA GREY

Size : 600x600mm
Finish : Glossy



Random : 07



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MARVEL CALCATA SATURIO

Size : 600x600mm
Finish : Glossy




Random : 06



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 



MARVEL CALCATA SATURIO

MARVEL CARRARA



Size : 600x600mm
Finish : Glossy



Random : 06



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MARVEL CLASSIC SATURIO

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 


MARVEL DYNA



Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE



MARVEL DYNA

MARVEL ELISEO WHITE

Size : 600x600mm
Finish : Glossy



Random : 06



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE


MINIMUM
3MM SPACE
RECOMMEND 

MARVEL ELITE SATURIO

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES


-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MARVEL IMPIRIAL CREMA

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 



MARVEL IMPIRIAL CREMA

MARVEL KARNIS GREY

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MARVEL KARNIS LIGHT GREY

Size : 600x600mm
Finish : Glossy



Random : 03




FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

MARVEL KEROS SATURO

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE




MARVEL KEROS SATURO

MARVEL MARFIL



Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT




HYGIENIC
SURFACE

MINIMUM
3MM SPACE
RECOMMEND




MARVEL MARFIL CREMA

Size : 600x600mm
Finish : Glossy



Random : 07



FEATURES



EASY
MAINTENANCE



DIMENSIONAL
STABILITY



HIGH
STRENGTH



WATER
RESISTANT



CHEMICAL
RESISTANT



IMPACT
RESISTANCE



FIRE
RESISTANT



HYGIENIC
SURFACE

MARVEL MARMİ CARRARA

Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND





MARVEL MARMI CARRARA

MARVEL ONYX WHITE

Size : 600x600mm
Finish : Glossy



Random : 09



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MARVEL RIGATO WHITE

Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

MARVEL ROMAN GREY

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES


-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE



MARVEL ROMAN GREY

MARVEL ROMAN LIGHT GREY

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 

MARVEL SAFARI GREY

Size : 600x600mm
Finish : Glossy



Random : 05




FEATURES


-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MARVEL SAFARI LIGHT GREY

Size : 600x600mm
Finish : Glossy



Random : 05



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

MINIMUM
3MM SPACE
RECOMMEND 



MARVEL SAFARI LIGHT GREY

MARVEL VENTO SATURIO

Size : 600x600mm
Finish : Glossy



Random : 03



FEATURES

-  EASY MAINTENANCE
-  DIMENSIONAL STABILITY
-  HIGH STRENGTH
-  WATER RESISTANT
-  CHEMICAL RESISTANT
-  IMPACT RESISTANCE
-  FIRE RESISTANT
-  HYGIENIC SURFACE

TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE

UK
CA



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x10 ⁶	Max 6.5x10 ⁻	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt./Box (approx.)	26-27 Kgs.